



Abilene Classing Office Quality Report for the Week Ending 11/15/2018

Abilene - Office Summary

Agriculture Marketing Service

Cotton Market News

November 16, 2018

Volume 4, No. 4

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 0.1 | 0.6 | 31 & Shorter | 0.4 | 0.2 | 22 & Below | * | * |
| 21 | 1.8 | 6.8 | 32 | 1.0 | 0.8 | 23 | 0.7 | 0.3 |
| 31 | 33.9 | 33.6 | 33 | 2.3 | 3.7 | 24 | 0.4 | 0.3 |
| 41 | 49.0 | 35.0 | 34 | 7.7 | 7.3 | 25 | 0.6 | 1.1 |
| 51 | 3.9 | 2.4 | 35 | 14.2 | 14.2 | 26 | 1.9 | 2.6 |
| 61 | - | - | 36 | 25.3 | 23.8 | 27 | 4.8 | 5.8 |
| 71 | - | - | 37 | 28.9 | 29.7 | 28 | 13.1 | 12.4 |
| 12 | - | 0.1 | 38 | 13.1 | 12.8 | 29 | 26.2 | 21.9 |
| 22 | 0.4 | 1.5 | 39 | 5.6 | 5.9 | 30 | 24.9 | 21.0 |
| 32 | 3.1 | 5.3 | 40 | 1.4 | 1.6 | 31 | 14.0 | 14.4 |
| 42 | 3.9 | 5.7 | 41 & Longer | 0.1 | 0.1 | 32 | 7.5 | 9.9 |
| 52 | 1.2 | 1.2 | Avg Staple | 36.35 | 36.36 | 33 | 4.0 | 6.1 |
| 62 | 0.8 | 0.3 | Avg Length | 1.13 | 1.13 | 34 | 1.7 | 3.2 |
| 13 | - | * | MICRONAIRE | | | 35 | 0.1 | 0.8 |
| 23 | * | 0.7 | 2.4 & Below | - | * | 36 | * | 0.1 |
| 33 | 0.6 | 2.0 | 2.5-2.6 | * | 0.2 | 37 | * | * |
| 43 | 0.6 | 1.3 | 2.7-2.9 | 0.4 | 0.7 | 38 | - | * |
| 53 | 0.2 | 0.1 | 3.0-3.2 | 0.6 | 0.9 | 39 | - | * |
| 63 | 0.2 | 0.1 | 3.3-3.4 | 1.3 | 2.3 | 40 & Above | - | - |
| 24-54 | 0.4 | 2.5 | 3.5-3.6 | 0.5 | 1.9 | Avg Strength | 30.09 | 30.31 |
| 25-35 | - | 0.3 | 3.7-4.2 | 28.9 | 28.1 | UNIFORMITY | | |
| 81-85 | 0.1 | 0.5 | 4.3-4.9 | 62.9 | 60.5 | 74 & Below | * | * |
| LEAF GRADE | | | 5.0-5.2 | 4.9 | 4.8 | 75 | * | * |
| | Week | Season | 5.3 & Above | 0.4 | 0.6 | 76 | 0.2 | 0.2 |
| 1 | 0.3 | 0.5 | Avg Micronaire | 4.40 | 4.37 | 77 | 1.4 | 1.1 |
| 2 | 9.6 | 9.6 | EXTRANEIOUS MATTER | | | 78 | 4.5 | 4.3 |
| 3 | 52.2 | 48.8 | Bark (11) | 6.1 | 13.8 | 79 | 15.9 | 13.5 |
| 4 | 28.6 | 30.0 | Grass (21) | * | * | 80 | 39.3 | 32.6 |
| 5 | 7.9 | 9.1 | Seed Coat (31) | - | * | 81 | 27.8 | 29.5 |
| 6 | 1.3 | 1.8 | Prep (01) | * | * | 82 | 9.5 | 14.5 |
| 7 | 0.1 | 0.2 | Other (61) | - | * | 83 | 1.2 | 3.6 |
| 8 | * | * | Plastic (71) | * | * | 84 | 0.1 | 0.5 |
| Avg Leaf | 3.38 | 3.44 | Gins | 20 | 21 | 85 & Above | - | * |
| Avg Trash | 0.44 | 0.46 | | | | Avg Uniformity | 80.66 | 80.90 |
| Bales Classed | 41,563 | 109,162 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Abilene Classing Office Quality Report for the Week Ending 11/15/2018

Abilene - KS

Agriculture Marketing Service

Cotton Market News

November 16, 2018

Volume 4, No. 4

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|---------------|---------------------------|------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 0.2 | 31 & Shorter | - | - | 22 & Below | - | * |
| 21 | - | 3.9 | 32 | - | * | 23 | - | * |
| 31 | - | 28.1 | 33 | - | * | 24 | - | 0.4 |
| 41 | - | 13.2 | 34 | - | 0.4 | 25 | - | 2.9 |
| 51 | - | - | 35 | - | 16.9 | 26 | - | 6.5 |
| 61 | - | - | 36 | - | 21.0 | 27 | - | 10.3 |
| 71 | - | - | 37 | - | 49.1 | 28 | - | 22.0 |
| 12 | - | 0.3 | 38 | - | 8.1 | 29 | - | 38.1 |
| 22 | - | 3.4 | 39 | - | 1.2 | 30 | - | 11.6 |
| 32 | - | 7.2 | 40 | - | 3.1 | 31 | - | 5.7 |
| 42 | - | 0.5 | 41 & Longer | - | 0.1 | 32 | - | 2.3 |
| 52 | - | * | Avg Staple | - | 36.64 | 33 | - | * |
| 62 | - | - | Avg Length | - | 1.14 | 34 | - | * |
| 13 | - | 0.4 | MICRONAIRE | | | 35 | - | * |
| 23 | - | 5.9 | 2.4 & Below | - | 0.1 | 36 | - | - |
| 33 | - | 10.6 | 2.5-2.6 | - | 1.7 | 37 | - | - |
| 43 | - | 0.8 | 2.7-2.9 | - | 6.0 | 38 | - | - |
| 53 | - | * | 3.0-3.2 | - | 6.4 | 39 | - | - |
| 63 | - | - | 3.3-3.4 | - | 19.9 | 40 & Above | - | - |
| 24-54 | - | 19.0 | 3.5-3.6 | - | 13.8 | Avg Strength | - | 28.98 |
| 25-35 | - | 3.1 | 3.7-4.2 | - | 48.7 | UNIFORMITY | | |
| 81-85 | - | 3.4 | 4.3-4.9 | - | 3.4 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | - | * | 75 | - | 0.1 |
| | Week | Season | 5.3 & Above | - | - | 76 | - | 0.3 |
| 1 | - | * | Avg Micronaire | - | 3.62 | 77 | - | 1.6 |
| 2 | - | 4.4 | EXTRANEIOUS MATTER | | | 78 | - | 4.1 |
| 3 | - | 37.9 | Bark (11) | - | 38.6 | 79 | - | 14.8 |
| 4 | - | 39.7 | Grass (21) | - | 0.1 | 80 | - | 47.1 |
| 5 | - | 15.1 | Seed Coat (31) | - | 0.3 | 81 | - | 27.7 |
| 6 | - | 2.7 | Prep (01) | - | - | 82 | - | 3.6 |
| 7 | - | 0.1 | Other (61) | - | 0.1 | 83 | - | 0.8 |
| 8 | - | * | Plastic (71) | - | 0.2 | 84 | - | - |
| Avg Leaf | - | 3.74 | Gins | - | 2 | 85 & Above | - | - |
| Avg Trash | - | 0.52 | | | | Avg Uniformity | - | 80.52 |
| Bales Classed | - | 10,644 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 4

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 0.1 | 0.1 | 31 & Shorter | * | * | 22 & Below | * | * |
| 21 | 1.8 | 8.1 | 32 | * | 0.4 | 23 | * | * |
| 31 | 33.8 | 38.0 | 33 | 1.0 | 2.3 | 24 | * | 0.1 |
| 41 | 51.3 | 36.2 | 34 | 7.5 | 7.5 | 25 | 0.2 | 0.2 |
| 51 | 2.0 | 0.9 | 35 | 15.2 | 13.6 | 26 | 1.0 | 0.9 |
| 61 | - | - | 36 | 23.3 | 22.2 | 27 | 4.6 | 4.3 |
| 71 | - | - | 37 | 27.7 | 31.4 | 28 | 11.3 | 9.4 |
| 12 | - | * | 38 | 16.9 | 14.5 | 29 | 25.3 | 20.5 |
| 22 | 0.7 | 1.0 | 39 | 6.7 | 6.6 | 30 | 27.6 | 22.8 |
| 32 | 4.0 | 5.9 | 40 | 1.5 | 1.5 | 31 | 14.6 | 14.4 |
| 42 | 3.6 | 4.9 | 41 & Longer | 0.1 | 0.1 | 32 | 8.7 | 12.0 |
| 52 | 0.8 | 0.4 | Avg Staple | 36.54 | 36.50 | 33 | 4.7 | 8.7 |
| 62 | - | * | Avg Length | 1.14 | 1.14 | 34 | 1.9 | 5.0 |
| 13 | - | - | MICRONAIRE | | | 35 | * | 1.3 |
| 23 | * | 0.1 | 2.4 & Below | - | * | 36 | * | 0.2 |
| 33 | 0.7 | 1.4 | 2.5-2.6 | - | * | 37 | - | * |
| 43 | 0.7 | 1.3 | 2.7-2.9 | * | 0.1 | 38 | - | * |
| 53 | 0.2 | 0.2 | 3.0-3.2 | * | 0.4 | 39 | - | - |
| 63 | * | * | 3.3-3.4 | 0.2 | 0.6 | 40 & Above | - | - |
| 24-54 | 0.3 | 1.0 | 3.5-3.6 | 0.2 | 0.8 | Avg Strength | 30.32 | 30.80 |
| 25-35 | - | * | 3.7-4.2 | 28.4 | 28.3 | UNIFORMITY | | |
| 81-85 | 0.1 | 0.3 | 4.3-4.9 | 63.9 | 63.0 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | 6.5 | 6.0 | 75 | * | * |
| | Week | Season | 5.3 & Above | 0.7 | 0.9 | 76 | 0.1 | 0.1 |
| 1 | 0.1 | 0.1 | Avg Micronaire | 4.45 | 4.43 | 77 | 0.5 | 0.4 |
| 2 | 10.5 | 8.5 | EXTRANEIOUS MATTER | | | 78 | 2.6 | 2.0 |
| 3 | 55.1 | 54.7 | Bark (11) | 3.4 | 6.7 | 79 | 13.1 | 10.3 |
| 4 | 26.8 | 29.2 | Grass (21) | - | - | 80 | 37.6 | 29.8 |
| 5 | 6.4 | 6.1 | Seed Coat (31) | - | * | 81 | 31.9 | 31.6 |
| 6 | 1.1 | 1.3 | Prep (01) | - | * | 82 | 12.5 | 19.4 |
| 7 | 0.1 | 0.2 | Other (61) | - | - | 83 | 1.6 | 5.5 |
| 8 | * | * | Plastic (71) | - | * | 84 | 0.1 | 0.9 |
| Avg Leaf | 3.32 | 3.37 | Gins | 9 | 9 | 85 & Above | - | 0.1 |
| Avg Trash | 0.43 | 0.45 | | | | Avg Uniformity | 80.87 | 81.20 |
| Bales Classed | 25,106 | 58,439 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 4

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 0.1 | 1.3 | 31 & Shorter | 1.2 | 0.6 | 22 & Below | 0.1 | * |
| 21 | 1.8 | 5.7 | 32 | 2.8 | 1.6 | 23 | 1.9 | 0.9 |
| 31 | 29.0 | 28.5 | 33 | 4.9 | 6.7 | 24 | 1.2 | 0.5 |
| 41 | 47.9 | 39.1 | 34 | 9.1 | 8.7 | 25 | 1.4 | 1.8 |
| 51 | 7.8 | 5.2 | 35 | 13.9 | 14.5 | 26 | 3.5 | 4.0 |
| 61 | - | - | 36 | 30.1 | 26.8 | 27 | 5.0 | 6.7 |
| 71 | - | - | 37 | 24.9 | 22.0 | 28 | 14.0 | 14.3 |
| 12 | - | 0.3 | 38 | 7.4 | 11.6 | 29 | 24.3 | 19.6 |
| 22 | * | 1.7 | 39 | 4.3 | 6.1 | 30 | 23.2 | 20.9 |
| 32 | 1.9 | 3.8 | 40 | 1.5 | 1.4 | 31 | 14.4 | 16.7 |
| 42 | 4.8 | 8.1 | 41 & Longer | 0.1 | 0.1 | 32 | 5.9 | 8.8 |
| 52 | 2.1 | 2.6 | Avg Staple | 35.95 | 36.08 | 33 | 3.4 | 4.0 |
| 62 | 2.4 | 0.9 | Avg Length | 1.12 | 1.13 | 34 | 1.6 | 1.4 |
| 13 | - | * | MICRONAIRE | | | 35 | 0.2 | 0.2 |
| 23 | - | 0.1 | 2.4 & Below | - | - | 36 | * | * |
| 33 | 0.4 | 0.7 | 2.5-2.6 | - | * | 37 | * | * |
| 43 | 0.6 | 1.3 | 2.7-2.9 | - | 0.1 | 38 | - | - |
| 53 | 0.1 | 0.1 | 3.0-3.2 | 0.2 | 0.2 | 39 | - | * |
| 63 | 0.6 | 0.2 | 3.3-3.4 | 0.1 | 0.1 | 40 & Above | - | - |
| 24-54 | 0.6 | 0.3 | 3.5-3.6 | 0.7 | 0.5 | Avg Strength | 29.81 | 29.95 |
| 25-35 | - | - | 3.7-4.2 | 26.5 | 22.5 | UNIFORMITY | | |
| 81-85 | 0.1 | * | 4.3-4.9 | 69.8 | 71.9 | 74 & Below | Week | Season |
| LEAF GRADE | | | 5.0-5.2 | 2.8 | 4.3 | 75 | * | * |
| | Week | Season | 5.3 & Above | - | 0.4 | 76 | 0.5 | 0.4 |
| 1 | 0.6 | 1.2 | Avg Micronaire | 4.43 | 4.48 | 77 | 3.2 | 1.9 |
| 2 | 8.8 | 12.5 | EXTRANEIOUS MATTER | | | 78 | 8.4 | 7.9 |
| 3 | 46.8 | 43.1 | Bark (11) | 10.9 | 17.6 | 79 | 18.9 | 17.8 |
| 4 | 31.4 | 28.5 | Grass (21) | * | * | 80 | 41.2 | 32.9 |
| 5 | 10.8 | 12.0 | Seed Coat (31) | - | - | 81 | 21.4 | 26.9 |
| 6 | 1.5 | 2.4 | Prep (01) | * | * | 82 | 5.5 | 10.3 |
| 7 | 0.1 | 0.2 | Other (61) | - | - | 83 | 0.7 | 1.7 |
| 8 | - | * | Plastic (71) | * | * | 84 | * | 0.1 |
| Avg Leaf | 3.48 | 3.46 | Gins | 10 | 10 | 85 & Above | - | * |
| Avg Trash | 0.46 | 0.46 | | | | Avg Uniformity | 80.33 | 80.57 |
| Bales Classed | 14,464 | 40,079 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: